



BRZOZA

LP	SKRINKY	ROZMER	CENA
1	D 80	800/820/446	74
2	D 80 ZL	800/820/446	64
3	D 80 S/1	800/820/446	100
4	D 80 S/3	800/820/446	137
5	D 60	600/820/446	65
6	D 60 1DRZWI P/L	600/820/446	57
7	D 60 ZL 1DRZWI P/L	600/820/446	50
8	D 60 S/1 P/L	600/820/446	89
9	D 60 S/3	600/820/446	124
10	DK 60	600/820/510	45
11	D 60 PC P/L	600/820/446	50
12	D 60 Lo P/L	600/2133/560	129
13	D 60 LO/2300 P/L	600/2333/560	139
14	D 60 PK s/3 1430	600/1430/560	157
15	D 60 PK S/3/2133	600/2133560	230
16	D 60 SL/1430P/L	600/1430/560	104
17	D 60 PK /2133 P/L	600/2133/560	144
18	D 60 PK/2333 P/L	600/2333/560	153
19	D 60 PK MV P/L	600/2133/560	140
20	D 60 PK MV S/3/2133	600/2133/560	215
21	D 50 P/L	500/820/446	53
22	D 50 S/1 P/L	500/820/446	76
23	D 40 P/L	400/820/446	46
24	D 40 S/1 P/L	400/820/446	72
25	D 40 S/3	400/820/446	110
26	D 40 S/4	400/820/446	126
27	D 40 SL P/L /2133	400/2133/560	139
28	D 40 SL/2333 P/L	400/2333/560	150
29	D 30 P/L	300/820/446	42
30	D 30 S/1 P/L	300/820/446	63
31	Do 30	300/820/446	32
32	Do 20	200/820/446	28
33	DRP P/L	786/820/786	98
34	DNP P/L	900/820/446	83
35	DPO P/L	290/820/560	37
36	D 15 CARGO P/L	150/820/510	72
37	Obudowa wyspy	1237/1020/410	70
38	Front do zmyw. 45 p. o	446/570	29
39	Front do zmyw. 45 p. u.	446/713	29
40	Front do zmyw. 60 p.o.	596/570	40
41	Front do zmyw. 60 p. u.	596/713	40
42	Bok kończący/zaślepka MDF/2133	2133/560	41
43	Bok kończący/zaślepka MDF/2333	2333/560	45
44	W 80	800/720/288	65
45	W 80/92	800/920/288	79
46	W 80 SU (ociekkarka alum)	800/720/288	71
47	W 80 GRF/2	800/720/288	78
48	W 80 ok gr	800/360/288	43
49	WS 80 ok. gr ramka ALU	800/360/288	75
50	W 60	600/720/288	55
51	W 60 P/L	600/720/288	47
52	W 60/92	600/920/288	67
53	W 60 SU P/L (ALU)	600/720/288	62
54	W 60 (ALU)	600/720/288	66
55	W 60 ok. gr	600/360/288	36
56	WS 60 ok. gr ramka ALU	600/360/288	62
57	W 60 GRF/2	600/720/288	64
58	W 50 P/L	500/720/288	41
59	W 50/92 P/L	500/920/288	56
60	W 50 ok. gr	500/360/288	33
61	W 40 P/L	400/720/288	39
62	W 40/92 P/L	400/920/288	47
63	W 45 P/L	450/720/288	41
64	W 40 W PEŁNA P/L	400/1283/288	72
65	W 40 OKGR	400/360/288	30
66	W 30 P/L	300/720/288	35
67	Wo 30	300/720/288	22

68	WO 30/92	300/920/288	26
69	Wo 20	200/720/288	20
70	WO 20/92	200/920/288	23
71	WR P/L	600/720/600	54
72	WR/92 P/L	600/920/600	71
73	WPO P/L	290/720/288	21
74	WPO/92 P/L	290/920/288	25
75	WS 80 SZKŁO PASEK	800/720/288	73
76	WS 60 SZKŁO PASEK P/L	600/720/288	87
77	Zostava z obrázka(bez dosky)		801
78	Zostava 1,8/2,4m (bez dosky)	1,8/2,4mb	449
79	Zostava 2,60m (bez dosky)	2,6mb	558

PLYTA LAMINOWANA- SYSTEM PLUS



NEL

LP	SKRINKY	ROZMER	CENA
1	D 80	800/820/446	69
2	D 80 ZL	800/820/446	59
3	D 80 S/1	800/820/446	95
4	D 80 S/3	800/820/446	127
5	D 60	600/820/446	60
6	D 60 P/L	600/820/446	55
7	D 60 ZL P/L	600/820/446	49
8	D 60 S/3	600/820/446	113
9	DK 60	600/820/510	39
10	D 60 PC P/L	600/820/446	53
11	D 60 Lo P/L	600/2133/560	112
12	D 60 LO/2333 P/L	600/2333/560	126
13	D 60 PK s/3 1430	600/1430/560	131
14	D 60 SL/1430 P/L	600/1430/560	102
15	D 60 PK /2133 P/L	600/2133/560	126
16	D 60 PK/2333 P/L	600/2333/560	140
17	D 60 PK MV	600/2133/560	122
18	D 60 PK S/3/2133	600/2133/560	230
19	D 60 PK MV S/3/2133	600/2133/560	181
20	D 50 P/L	500/820/446	44
21	D 50 S/1 P/L	500/820/446	70
22	D 40 P/L	400/820/446	45
23	D 40 S/1 P/L	400/820/446	57
24	D 40 S/3	400/820/446	99
25	D 40 S/4	400/820/446	111
26	D 40 SL P/L /2133	400/2133/560	119
27	D 40 SL/2333 P/L	400/2333/560	126
28	D 30 P/L	300/820/446	40
29	D 30 S/1 P/L	300/820/446	57
30	DRP P/L	786/820/786	91
31	DNP P/L	900/820/446	77
32	Do 30	300/820/446	34
33	Do 20	200/820/446	30
34	DPO P/L	290/820/560	39
35	D15 CARGO P/L	150/820/510	68
36	Obudowa wyspy	1237/1020/410	65
37	Front do zmyw. 45 p. o	446/570	14
38	Front do zmyw. 45 p. u.	446/713	15
39	Front do zmyw. 60 p.o.	596/570	17
40	Front do zmyw. 60 p. u.	596/713	19
41	Bok kończący/zaślepka MDF/2133	2133/560	38
42	Bok kończący/zaślepka MDF/2333	2333/560	41
43	W 80	800/720/288	59
44	W 80/92	800/920/288	73
45	W 80 SU (ocieka karka alu)	800/720/288	66
46	W 80 GRF/2	800/720/288	68
47	W 80 ok gr	800/360/288	40
48	WS 80 ok. gr ramka ALU	800/360/288	70
49	WS 80 SZKŁO PASEK	800/720/288	64
50	W 60	600/720/288	49
51	W 60/92	900/920/288	56
52	W 60 SU (ocieka karka alu)	600/720/288	57
53	W 60 SU P/L (ocieka karka alu)	600/720/288	56
54	W 60 P/L	600/720/288	45
55	W 60 ok. gr	600/360/288	33
56	WS 60 ok. gr ramka ALU	600/360/288	58
57	WS 60 SZKŁO PASEK P/L	600/720/288	48
58	W 60 GRF/2	600/720/288	54
59	W 50 P/L	500/720/288	39
60	W 50/92 P/L	500/920/288	51
61	W 50 ok. gr	500/360/288	30
62	W 40 P/L	400/720/288	36
63	W 40/92 P/L	400/920/288	44
64	W 45 P/L	450/720/288	33
65	W 40 W pełna/1283 P/L	400/1283/288	63
66	W 40 OKGR	400/360/288	27
67	W 30 P/L	300/720/288	32
68	Wo 30	300/720/288	21
69	WO 30/92	300/920/288	26

70	Wo 20	200/720/288	18
71	WO 20/92	200/920/288	23
72	WR P/L	600/720/600	56
73	WR/92 P/L	600/920/600	70
74	WPO P/L	290/720/288	22
75	WPO/92 P/L	290/720/288	25
76	Zostava z obrázka (bez dosky)		675
77	Zostava 1,8/2,4m (bez dosky)	1,8/2,4 mb	405
78	Zostava 2,60m (bez dosky)	2,60 mb	507

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKY



OLIWIA

LP	SKRINKY	ROZMER	CENA
1	D 80	800/820/446	67
2	D 80 ZL	800/820/446	56
3	D 80 S/1	800/820/446	91
4	D 80 S/3	800/820/446	130
5	D 60	600/820/446	56
6	D 60 P/L	600/820/446	55
7	D 60 ZL P/L	600/820/446	51
8	D 60 S/1 P/L	600/820/446	74
9	D 60 S/3	600/820/446	114
10	DK 60	600/820/510	52
11	D 60 PC P/L	600/820/446	60
12	D 60 Lo P/L	600/2100/560	128
13	D 60 LO/2333 P/L	600/2333/560	140
14	D 60 SL/1430 P/L	600/1430/560	112
15	D 60 PK s/3 1430	600/1430/560	132
16	D 60 PK /2133 P/L	600/2133/560	135
17	D 60 PK/2333 P/L	600/2333/560	154
18	D 60 PK S/3/2133	600/2133/560	174
19	D 60 PK MV S/3/2133	600/2133/560	174
20	D 60 PK MV	600/2133/560	123
21	D 50 P/L	500/820/446	50
22	D 50 S/1	500/820/446	70
23	D 40 P/L	400/820/446	45
24	D 40 S/1 P/L	400/820/446	67
25	D 40 S/3	400/820/446	102
26	D 40 S/4	400/820/446	106
27	D 40 SL P/L /2133	400/2133/560	141
28	D 40 SL/2333 P/L	400/2333/560	142
29	D 30 P/L	300/820/446	44
30	D 30 S/1 P/L	300/820/446	66
31	DRP P/L	786/820/786	97
32	DNP P/L	900/820/446	86
33	DPO P/L	290/820/560	41
34	D15 CARGO P/L	150/820/510	77
35	Obudowa wyspy	1237/1020/410	69
36	Front do zmyw. 45 p. o	446/570	31
37	Front do zmyw. 45 p. u.	446/713	31
38	Front do zmyw. 60 p.o.	596/570	44
39	Front do zmyw. 60 p. u.	596/713	44
40	Bok kończący/zaślepka MDF/2133	2133/560	49
41	Bok kończący/zaślepka MDF/2333	2333/560	49
42	W 80	800/720/288	59
43	W 80/92	800/720/288	73
44	W 80 SU (ociekkarka alu)	800/720/288	59
45	W 80 GRF/2	800/720/288	73
46	W 80 ok gr	800/360/288	48
47	WS 80 ok. gr ramka ALU	800/360/288	98
48	WS 80 SZKŁO PASEK	800/720/288	66
49	W 60	600/720/288	53
50	W 60/92	600/720/288	62
51	W 60 SU (ociekkarka alu)	600/720/288	65
52	W 60 SU P/L (ociekkarka alu)	600/720/288	65
53	W 60 P/L	600/720/288	52
54	W 60 ok. gr	600/360/600	37
55	WS 60 ok. gr ramka ALU	600/360/288	77
56	WS 60 SZKŁO PASEK P/L	600/720/288	52
57	W 60 GRF/2	600/720/288	60
58	W 50 P/L	500/720/288	41
59	W 50/92 P/L	500/920/288	53
60	W 50 ok. gr	500/360/288	34
61	W 40 P/L	400/720/288	39
62	W 40/92 P/L	400/720/288	46
63	W 45 P/L	450/720/288	40
64	W 40 W pełna	400/1283/288	58
65	W 40 OKGR	400/360/288	31
66	W 30 P/L	300/720/288	35
67	WR P/L	600/720/600	65
68	WR/92 P/L	600/720/600	77
69	WPO P/L	290/720/288	26
70	WPO/92 P/L	290/920/288	27

71	WO 20/92	200/920/288	25
72	WO 30/92	300/920/288	28
73	WO15*	OD 150 DO 400/720/446	27
74	DO15*	OD 150 DO 400/620/446	46
75	Zostawa z obrazka (bez dosky)		1117
76	Zostava 2,6 (bez dosky)	2,6 mb	493

* SKRINKY DO15 ORAZ WO15 WYKONANE SA NA DOWOLNY ROZMER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKLADANIU ZAMOWIEN PROSIMY O OKRESLENIE SZEROKOSCI SKRINKY



ACRILICO

LP	SKRINKY	ROZMER	CENA
1	D 80	800/820/446	143
2	D 80 ZL	800/820/446	132
3	D 80 S/1	800/820/446	173
4	D 80 S/3	800/820/446	232
5	D 60	600/820/446	120
6	D 60 1 P/L	600/820/446	110
7	D 60 ZL 1 P/L	600/820/446	105
8	D 60 S/1 P/L	600/820/446	145
9	D 60 S/3	600/820/446	201
10	DK 60	600/820/510	77
11	D 60 PC P/L	600/820/446	117
12	D 60 Lo P/L	600/2133/560	290
13	D 60 Lo /2333 P/L	600/2333/560	314
14	D 60 PK s/3 1430	600/1430/560	228
15	D 60 SL/1430 P/L	600/1430/560	195
16	D 60 PK /2133 P/L	600/2133/560	251
17	D 60 PK/2333 P/L	600/2333/560	284
18	D 60 PK S/3/2133	600/2133/560	318
19	D 60 PK MV	600/2133/560	219
20	D 60 PK MV S/3/2133	600/2133/560	314
21	D 40 P/L	400/820/446	82
22	D 40 S/1 P/L	400/820/446	119
23	D 40 S/3	400/820/446	155
24	D 40 S/4	400/820/446	192
25	D 40 SL P/L /2100	400/2100/560	251
26	D 40 SL/2333 P/L	400/2333/560	248
27	D 30 P/L	300/820/446	71
28	D 30 S/1 P/L	300/820/446	109
29	D50 P/L	500/820/446	99
30	D50S/1 P/L	500/820/446	127
31	D15 CARGO P/L	150/820/510	104
32	DRP P/L	786/820/786	160
33	DNP P/L	900/820/446	157
34	DPO P/L	290/820/560	42
35	Obudowa wyspy	1237/1020/410	62
36	Front do zmyw. 45 p. o	446/570	49
37	Front do zmyw. 45 p. u.	446/713	51
38	Front do zmyw. 60 p.o.	596/570	62
39	Front do zmyw. 60 p. u.	596/713	65
40	Bok kończący/zaślepka MDF/2133	2133/560	162
41	Bok kończący/zaślepka MDF/2333	2333/560	178
42	W 80	800/720/288	135
43	W 80/92	800/920/288	166
44	W 80 SU (ociekkarka alu)	800/720/288	140
45	W 80 GRF/2	800/720/288	146
46	W 80 ok gr	800/360/288	89
47	WS 80 ok. gr ramka ALU	800/360/288	136
48	WS 80 SZKŁO PASEK	800/720/288	131
49	W 60	600/720/288	114
50	W 60/92	600/920/288	135
51	W 60 SU (ociekkarka alu)	600/720/288	126
52	W 60 SU P/L (ociekkarka alu)	600/720/288	126
53	W 60 P/L	600/720/288	108
54	W 60/92 P/L	600/920/288	142
55	W 60 GRF/2	600/720/288	117
56	W 60 ok. gr	600/360/288	78
57	WS 60 ok. gr ramka ALU	600/360/288	120
58	WS 60 SZKŁO PASEK P/L	600/720/288	94
59	W 50 P/L	500/720/288	91
60	W 50/92 P/L	500/920/288	113
61	W 50 ok. gr	500/360/288	78
62	W 40 P/L	400/720/288	82
63	W 40 W PELNA P/L	400/1283/288	131
64	W 45 P/L	450/720/288	85
65	W 40/92 P/L	400/920/288	95
66	W 40 OKGR	400/360/288	55
67	W 30 P/L	300/720/288	63
68	W 30/92 P/L	300/920/288	80
69	WO 20/92	200/920/288	21
70	WO 30/92	300/920/288	25

71	WR P/L	600/720/600	119
72	WR/92 P/L	600/920/600	121
73	WPO P/L	290/720/288	27
74	WPO/92 P/L	290/920/288	28
75	WO15*	OD 150 DO 400/720/446	27
76	DO15*	OD 150 DO 400/820/446	47
77	Zostava z obrázka(bez dosky)		1546
78	Zostava 1,8/2,4m (bez dosky)	1,8/2,4mb	854
79	Zostava 2,60m (bez dosky)	2,6mb	1059

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMIER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKY




NEGRO

LP	SKRINKY	ROZMER	CENA
1	D 80	800/820/446	102
2	D 80 ZL	800/820/446	92
3	D 80 ZL ZAŚL.	800/820/446	99
4	D 80 S/1	800/820/446	125
5	D 80 S/3	800/820/446	169
6	D 60	600/820/446	84
7	D 60 1DRZWI P/L	600/820/446	84
8	D 60 ZL 1 P/L	600/820/446	75
9	D 60 S/1 P/L	600/820/446	105
10	D 60 S/3	600/820/446	149
11	DK 60	600/820/510	66
12	D 60 PC P/L	600/820/446	93
13	D 60 Lo P/L	600/2100/560	216
14	D 60 LO/2333 P/L	600/2333/560	238
15	D 60 SL/1430 P/L	600/1430/560	178
16	D 60 PK s/3 1430	600/1430/560	202
17	D 60 PK /2133 P/L	600/2133/560	212
18	D 60 PK/2333 P/L	600/2333/560	238
19	D 60 PK MV	600/2133/560	176
20	D 60 PK MVS/3/2133	600/2133/560	247
21	D 60 PK S/3/2133	600/2133/560	264
22	D 50 P/L	500/820/446	82
23	D 50 S/1 P/L	500/820/446	92
24	D 40 P/L	400/820/446	63
25	D 40 S/1 P/L	400/820/446	87
26	D 40 S/3	400/820/446	133
27	D 40 S/4	400/820/446	139
28	D 40 SL P/L /2133	400/2133/560	191
29	D 40 SL/2333 P/L	400/2333/560	213
30	D 30 P/L	300/820/446	54
31	D 30 S/1 P/L	300/820/446	83
32	DRP P/L	786/820/786	136
33	DNP P/L	900/820/446	115
34	DPO P/L	290/820/560	45
35	D15 CARGO P/L	150/820/510	90
36	Obudowa wyspy	1237/1020/410	66
37	Front do zmyw. 45 p. o	446/570	34
38	Front do zmyw. 45 p. u.	446/713	34
39	Front do zmyw. 60 p.o.	596/570	48
40	Front do zmyw. 60 p. u.	596/713	48
41	Bok kończący/zaślepka MDF/2133	2133/560	110
42	Bok kończący/zaślepka MDF/2333	2333/560	121
43	W 80	800/720/288	98
44	W 80/92	800/920/288	133
45	WS 80	800/720/288	124
46	W 80 SU (ociekkarka alu)	800/720/288	105
47	W 80/58	800/580/288	90
48	WS 80 GRF/2	800/720/288	137
49	W 80 GRF/2	800/720/288	119
50	W 80 ok gr	800/360/288	64
51	WS 80 ok.gr	800/360/288	89
	WS 80 OKGR RAM.ALU.	800/360/288	132
52	W 80 W	800/1283/288	136
53	W 80 W pełna	800/1283/288	110
54	W 60	600/720/288	83
55	WS 60 P/L	600/720/288	96
56	W 60/92	600/920/288	105
57	W 60 SU (ociekkarka alu)	600/720/288	96
58	W60 SU P/L (ociekkarka alu)	600/720/288	96
59	W 60 P/L	600/720/288	83
60	W 60/58 P/L	600/580/288	72
61	W 60 ok. gr	600/360/288	59
62	W 60 GRF/2	600/720/288	94
63	WS 60 GRF/2	600/720/288	105
64	WS 60 ok.gr	600/360/288	68
65	WS 60 OKGR RAM.ALU.	600/360/288	110
66	W 50 P/L	500/720/288	66
67	W 50/92 P/L	500/920/288	90
68	W 50 ok. gr	500/360/288	59
69	W 40 P/L	400/720/288	56

70	W 40 OKGR	400/360/288	41
71	W 40/92 P/L	400/920/288	76
72	WS 40 P/L	400/720/288	71
73	W 40 W P/L	400/1283/288	123
74	W 40 W PEŁNA P/L	400/1283/288	107
75	W 45 P/L	450/720/288	62
76	W 40/58 P/L	400/580/288	50
77	W 30 P/L	300/720/288	47
78	W 30/58 P/L	300/580/288	43
79	WO 30/92	300/920/288	31
80	WO 20/92	200/920/288	27
81	WR P/L	600/720/600	89
82	WR/92 P/L	600/920/600	108
83	WR/58 P/L	600/580/600	85
84	WPO	290/720/288	29
85	WPO/92 P/L	290/920/288	30
86	WO15*	OD 150 DO 400/720/446	29
87	DO15*	OD 150 DO 400/820/446	49
88	Zostawa z obrážka (bez dosky)		1058
89	Zostava 1,8/2,4m (bez dosky)	1,8/2,4 mb	637
90	Zostava 2,60m (bez dosky)	2,60 mb	785

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKY



TEM PLUS

ANDROMEDA

LP	SKRINKY	ROZMER	CENA
1	D 80	800/820/446	96
2	D 80ZL	800/820/446	87
3	D 80 ZL ZAŚL.	800/820/446	87
4	D 80S/1	800/820/446	120
5	D 80S/3	800/820/446	151
6	D 60	600/820/446	80
7	D 60 1DP/L	600/820/446	73
8	D 60ZL 1DP/L	600/820/446	67
9	D 60 S/1 P/L	600/820/446	95
10	D 60S/3	600/820/446	133
11	DK 60	600/820/510	41
12	D 60 PC P/L	600/820/446	78
13	D 60LO	600/2133/560	166
14	D 60LO/2333	600/2333/560	182
15	D 60 PKS/3 1430	600/1430/446	150
16	D 60 PKS/3/2133	600/2133/560	220
17	D 60 PK/2133	600/2133/560	162
18	D 60 PK/2333 P/L	600/2333/560	180
19	D 60 PK MV	600/2133/560	147
20	D 50 P/L	500/820/446	66
21	D 50 S/1	500/820/446	87
22	D 40 P/L	400/820/446	57
23	D 40 S/1 P/L	400/820/446	89
24	D 40 S/3	400/820/446	114
25	D 40 S/4	400/820/446	129
26	DO 40	400/820/446	31
27	D 40 SL P/L /2100	400/2100/560	156
28	D 40 SL P/L /2300	400/2300/560	172
29	D 30 P/L	300/820/446	49
30	D 30 S/1 P/L	300/820/446	69
31	DRP P/L	786/820/786	112
32	DNP P/L	900/820/446	102
33	DPO P/L	290/720/288	34
34	D15 CARGO P/L	150/820/510	34
35	Obudowa wyspy	1237/1020/410	59
36	Front do zmyw. 45 p. o	446/570	24
37	Front do zmyw. 45 p. u.	446/713	28
38	Front do zmyw. 60 p.o.	596/570	30
39	Front do zmyw. 60 p. u.	596/713	36
40	Bok kończący/zaślepka MDF/2100	2100/560	93
41	Bok kończący/zaślepka MDF/2300	2300/560	101

42	W 80	800/720/288	88
43	W 80 SU	800/720/288	94
44	W 80/92	800/720/288	107
45	W 80 W	800/1283/288	126
46	W 80 W pełna	800/580/288	103
47	W 80 ok gr	800/360/288	54
48	WS 80	800/720/288	112
	WS 80 OKGR	800/360/288	68
49	WS 80 ok.gr ramka ALU	800/360/288	79
50	WS 80 GRF/2	800/720/288	125
51	W 60	600/720/288	72
52	W 60/58 P/L	600/580/288	63
53	W 60 P/L	600/720/288	65
54	WS 60 P/L	600/720/288	75
55	W 60/92	600/720/288	86
56	W 60 ok. gr	600/720/288	44
57	WS 60 OKGR	600/360/288	54
58	WS 60 ok.gr ramka ALU	600/580/288	66
59	WS 60 GRF/2	600/720/288	98
60	W 50 P/L	500/720/288	56
61	W 50/92	500/360/288	72
62	W 50 ok. gr	400/720/288	40
63	W 40 P/L	400/580/288	51
64	W 40/58 P/L	400/580/288	49
65	W 40/92 P/L	400/920/288	68
66	WS 40 P/L	400/720/288	63
67	W 45 P/L	450/720/288	56
68	W 40/92	400/920/288	61
69	W 40 W	400/1283/288	110
70	W 40 ok. gr	400/360/288	35
71	WO 40	400/720/288	22
72	W 30 P/L	300/720/288	43
73	W 30/58 P/L	300/580/288	40
74	W 30/92 P/L	300/920/288	52
75	WO 30/92	300/920/288	24
76	WO 20/92	200/920/288	21
77	WR P/L	600/720/600	64
78	WR/58 P/L	600/580/600	60
79	WR/92 P/L	600/920/600	82
80	WPO	290/720/288	20
81	WPO/92 P/L	290/920/288	24
82	W 80 GRF/2	800/720/288	101
83	W 60 GRF/2	600/720/288	86
84	D 60 PK MV S/3/2133	600/2133/560	208
85	D 60 SŁ/1430 P/L	600/1430/560	134
86	W 60 SU ALU	600/720/288	80
87	W 60 SU P/L ALU	600/720/288	72
88	Zostawa z obrážka (bez dosky)		960
89	Zostava 1,8/2,4m (bez dosky)		551
90	Zostava 2,60m (bez dosky)		697

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKY



KAROLINA

LP	SKRINKY	ROZMER	CENA
1	D 80	800/820/446	93
2	D 80 ZL	800/820/446	83
	D 80 ZL ZAŚL.	800/820/446	90
3	D 80 S/1	800/820/446	119
4	D 80 S/3	800/820/446	153
5	D 60	600/820/446	79
6	D 60 P/L	600/820/446	71
7	D 60 ZL P/L	600/820/446	65
8	D 60 S/1 P/L	600/820/446	95
9	D 60 S/3	600/820/446	136
10	DK 60	600/820/510	54
11	D 60 PC P/L	600/820/446	63
12	D 60 Lo/2133 P/L	600/2133/560	213
13	D 60 LO/2333 P/L	600/2333/560	240
14	D 60 PK s/3 1430	600/1430/560	211
15	D 60 PK S/3/2133	600/2133/560	261
16	D 60 PK /2133 P/L	600/2133/560	190
17	D 60 PK/2333 P/L	600/2333/560	222
18	D 60 PK MV S/3/2133	600/2133/560	278
19	D 60 SL /1430	600/1430/560	158
20	D 60 PK MV	600/2133/560	190
21	D 50 P/L	500/820/446	64
22	D 50 S/1 P/L	500/820/446	88
23	D 40 P/L	400/820/446	55
24	D 40 S/1 P/L	400/820/446	89
25	D 40 S/3	400/820/446	119
26	D 40 S/4	400/820/446	135
27	D 40 SL P/L /2133	400/2133/560	169
28	D 40 SL/2333 P/L	400/2333/560	186
29	D 30 P/L	300/820/446	48
30	D 30 S/1 P/L	300/820/446	70
31	DRP P/L	786/820/786	122
32	DNP P/L	900/820/446	107
33	DPO P/L	290/820/560	35
34	D15 CARGO P/L	150/820/510	77
35	Obudowa wyspy	1237/1020/410	67
36	Front do zmyw. 45 p. o	446/570	31
37	Front do zmyw. 45 p. u.	446/713	31
38	Front do zmyw. 60 p.o.	596/570	41
39	Front do zmyw. 60 p. u.	596/713	41
40	Bok kończący/zaślepka MDF/2133	2133/560	89
41	Bok kończący/zaślepka MDF/2333	2333/560	97

42	W 80	800/720/288	84
43	W 80/92	800/920/288	105
44	W 80/58	800/580/288	73
45	WS 80	800/720/288	99
46	W 80 SU (ociekarka alu)	800/720/288	91
47	W 80 W pełna	800/720/288	99
48	W 80 W	800/1250/288	124
49	W 80 ok gr	800/360/288	52
50	W 80 GRF/2	800/720/288	96
51	WS 80 GRF/2	800/720/288	111
52	WS 80 ok.gr	800/360/288	58
53	W 60	600/720/288	70
54	W 60 SU (ociekarka alu)	600/720/288	80
55	W 60 SU P/L (ociekarka alu)	600/720/288	80
56	W 60 P/L	600/720/288	62
57	W 60/58 P/L	600/580/288	55
58	W 60/92	600/920/288	85
59	WS 60 GRF/2	600/720/288	81
60	WS 60 P/L	600/720/288	107
61	W 60 GRF/2	600/720/288	78
62	W 60 ok. gr	600/360/288	43
63	WS 60 ok.gr	600/360/288	52
64	W 50 P/L	500/720/288	54
65	W 50/92 P/L	500/920/288	72
66	W 50 ok. gr	500/360/288	39
67	WS40 P/L	400/720/288	95
68	W 40 P/L	400/720/288	49
69	W 40/58 P/L	400/580/288	44
70	W 40/92 P/L	400/920/288	60
71	W 45 P/L	450/720/288	55
72	W 40 W P/L	400/1283/288	89
73	W 40 OKGR	400/360/288	35
74	W 30 P/L	300/720/288	42
75	W 30/58 P/L	300/580/288	37
76	WO30/92	300/920/288	26
77	WO 20/92	200/920/288	23
78	WR P/L	600/720/600	69
79	WR/58 P/L	600/580/288	51
80	WR/92 P/L	600/920/600	84
81	WPO P/L	290/720/288	20
82	WPO/92 P/L	290/920/288	25
83	WO15*	OD 150 DO 400/720/446	24
84	DO15*	OD 150 DO 400/820/446	40
85	Zostawa z obrážka (bez dosky)		668
86	Zostava 1,8/2,4m (bez dosky)	1,8/2,4m	557
87	Zostava 2,60m (bez dosky)	2,6m	697

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKY



LUS

ALINA LAKIER

LP	SKRINKY	ROZMER	CENA
1	D 100	1000/820/446	105
2	D 100 S/2	1000/820/446	142
3	D 80	800/820/446	89
4	D 80 ZL	800/820/446	75
5	D 80 ZL ZAŚLEPKA	800/820/446	81
6	D 80 S/1	800/820/446	110
7	D 80 S/3	800/820/446	166
8	D 80 KRATKA	800/820/446	166
9	D 60	600/820/446	77
10	D 60 1 P/L	600/820/446	68
11	D 60 ZL 1 P/L	600/820/446	64
12	D 60 S/1 P/L	600/820/446	85
13	D 60 S/3	600/820/446	138
14	OK 60	600/820/510	56
15	D 60 PC P/L	600/820/446	72
16	D 60 Lo P/L	600/2133/560	205
17	D 60 Lo /2333 P/L	600/2333/560	207
18	D 60 PK s/3 1430	600/1430/560	188
19	D 60 SL/1430 P/L	600/1430/560	143
20	D 60 PK /2133 P/L	600/2133/560	178
21	D 60 PK / 2333 P/L	600/2333/560	202
22	D 60 PK S/3 / 2133 P/L	600/2133/560	222
23	D 60 PK MV S/3/2133	600/2133/560	210
24	D 60 PK MV	600/2133/560	170
25	D 50 P/L	500/820/446	61
26	D 50 S/1 P/L	500/820/446	80
27	D 40 P/L	400/820/446	55
28	D 40 S/1 P/L	400/820/446	79
29	D 40 S/3	400/820/446	103
30	D 40 S/4	400/820/446	111
31	D 40 K P/L	400/820/446	94
32	DB40/A	400/820/446	100
33	D 40 SL P/L /2133	400/2133/560	161
34	D 40 SL P/L /2333	400/2333/560	187
35	D 30 P/L	300/820/446	50
36	D 30 S/1 P/L	300/820/446	74
37	DB30/A	300/820/446	65
38	D 20 S/4	200/820/446	86
39	D15 CARGO P/L	150/820/510	80
40	DRP P/L	786/820/786	118
41	DNP P/L	900/820/446	102
42	DPO P/L	290/820/560	37
43	Obudowa wyspy	1237/1020/410	54
44	Front do zmyw. 45 p. o	446/570	32
45	Front do zmyw. 45 p. u.	446/713	32
46	Front do zmyw. 60 p.o.	596/570	42
47	Front do zmyw. 60 p. u.	596/713	42
48	Bok kończący/zaślepka MDF/2133	2133/560	80
49	Bok kończący/zaślepka MDF/2333	2333/560	87

50	W 100	1000/720/288	103
51	W 80	800/720/288	80
52	WS 80	800/720/288	108
53	W 80 SU (ociekaarka alu)	800/720/288	80
54	W 80 K	800/720/288	160
55	W 80 GR S/5	800/720/288	142
56	WS 80 S/5	800/720/288	126
57	W 80 s/5	800/720/288	129
58	W 80/92	800/920/288	99
59	WS 80/92	800/920/288	136
60	W 80 W	800/1283/288	173
61	W 80 W pełna	800/1283/288	148
62	W 80 GRF/2	800/720/288	99
63	W 80 ok. gr	800/360/288	60
64	W 60	600/720/288	68
65	W 60 SU (ociekaarka alu)	600/720/288	78
66	W 60 SU P/L (ociekaarka alu)	600/720/288	78
67	W 60 P/L	600/720/288	71
68	W 60 K P/L	600/720/288	144
69	W 60/92	600/920/288	84
70	W 60 GRF/2	600/720/288	75
71	W 60 ok. gr	600/360/288	44
72	W 50 P/L	500/720/288	57
73	W 50/92 P/L	500/920/288	72
74	W 50 ok. gr	500/360/288	44
75	W 40 ok. gr	400/360/288	44
76	W 40 P/L	400/720/288	47
77	W 45 P/L	450/720/288	56
78	WS 40 P/L	400/720/288	58
79	W 40 K P/L	400/720/288	89
80	W 40PGZ P/L	400/720/288	47
81	W 40/92 P/L	400/920/288	55
82	WS 40/92 P/L	400/920/288	80
83	W 40 W P/L	400/1283/288	99
84	W 40 W pełna P/L	400/1283/288	84
85	W 30 P/L	300/720/288	42
86	W 30/92 P/L	300/920/288	50
87	WO 30/92	300/920/288	26
88	WO 20/92	200/920/288	26
89	WO 20 S/1	200/720/288	30
90	WO 20 S/2	200/720/288	36
91	WO 20 S/2 / 92	200/920/288	41
92	WRS P/L	600/720/600	87
93	WR P/L	600/720/600	87
94	WRS/92 P/L	600/920/600	99
95	WR/92 P/L	600/920/600	98
96	WPO P/L	290/720/288	24
97	WPO/92 P/L	290/920/288	26
98	WO15*	OD 150 DO 400/720/446	25
99	DO15*	OD 150 DO 400/820/446	42
100	Zostawa z obrzązka(bez dosky)		1785
101	Zostawa 1,8/2,4m (bez dosky)	1,8/2,4 mb	529
102	Zostawa 2,60m (bez dosky)	2,6 mb	654

* SKRINKY DO 15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMIER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKY



ALINA PATYNA

LP	SKRINKY	ROZMER	CENA
1	D 100	1000/820/446	105
2	D 100 S/2	1000/820/446	144
3	D 80	800/820/446	91
4	D 80 ZL	800/820/446	77
5	D 80 ZL ZAŚLEPKA	800/820/446	82
6	D 80 S/1	800/820/446	111
7	D 80 S/3	800/820/446	156
8	D 80 KRATKA	800/820/446	161
9	D 60	600/820/446	76
10	D 60 1 P/L	600/820/446	69
11	D 60 ZL 1 P/L	600/820/446	65
12	D 60 S/1 P/L	600/820/446	87
13	D 60 S/3	600/820/446	128
14	DK 60	600/820/510	52
15	D 60 PC P/L	600/820/446	75
16	D 60 Lo P/L	600/2133/560	197
17	D 60 Lo /2333 P/L	600/2333/560	195
18	D 60 PK s/3 1430	600/1430/560	180
19	D 60 SL/1430 P/L	600/1430/560	133
20	D 60 PK /2133 P/L	600/2133/560	174
21	D 60 PK / 2333 P/L	600/2333/560	193
22	D 60 PK S/3 / 2133 P/L	600/2133/560	247
23	D 60 PK MV S/3 / 2133 P/L	600/2133/560	234
24	D 60 PK MV	600/2133/560	174
25	D 50 P/L	500/820/446	63
26	D 50 S/1 P/L	500/820/446	82
27	D 40 P/L	400/820/446	55
28	D 40 S/1 P/L	400/820/446	76
29	D 40 S/3	400/820/446	106
30	D 40 S/4	400/820/446	113
31	D 40 K P/L	400/820/446	86
32	DB40/A	400/820/446	94
33	D 40 SL P/L /2133	400/2133/560	150
34	D 40 SL P/L /2333	400/2333/560	174
35	D 30 P/L	300/720/446	47
36	D 30 S/1 P/L	300/720/446	69
37	DB30/A	300/820/446	60
38	D 20 S/4	200/820/446	87
39	DRP P/L	786/820/786	113
40	DNP P/L	900/820/446	101
41	DPO P/L	290/820/560	36
42	D15 CARGO P/L	150/820/510	76
43	Obudowa wyspy	1237/1020/410	62
44	Front do zmyw. 45 p. o	446/570	32
45	Front do zmyw. 45 p. u.	446/713	32
46	Front do zmyw. 60 p.o.	596/570	41
47	Front do zmyw. 60 p. u.	596/713	41
48	Bok kończący/zaślepka MDF/2133	2133/560	93
49	Bok kończący/zaślepka MDF/2333	2333/560	102
50	W 100	1000/720/288	96

51	W 80	800/720/288	83
52	WS 80	800/720/288	109
53	W 80 SU (ociekaarka alu)	800/720/288	85
54	W 80 K	800/720/288	152
55	W 80 GR S/5	800/720/288	137
56	WS 80 S/5	800/720/288	146
57	W 80 s/5	800/720/288	139
58	W 80/92	800/920/288	102
59	WS 80/92	800/920/288	137
60	W 80 W	800/1250/288	158
61	W 80 W pełna	800/1250/288	145
62	W 80 GRF/2	800/720/288	90
63	W 80 ok gr	800/360/288	58
64	W 60	600/720/288	67
65	W 60 SU (ociekaarka alu)	600/720/288	77
66	W 60 SU P/L (ociekaarka alu)	600/720/288	77
67	W 60 P/L	600/720/288	65
68	W 60 K P/L	600/720/288	132
69	W 60/92	600/920/288	81
70	W 60 GRF/2	600/720/288	71
71	W 60 ok. gr	600/360/288	41
72	W 50 P/L	500/720/288	54
73	W 50/92	500/920/288	70
74	W 50 ok. gr	500/360/288	41
75	W 40 P/L	400/720/288	47
76	W 45 P/L	450/720/288	52
77	WS 40 P/L	400/720/288	61
78	W 40 K P/L	400/720/288	82
79	W 40PGZ P/L	400/720/288	43
80	W 40/92 P/L	400/920/288	57
81	W 40 OKGR	400/360/288	38
82	WS 40/92 P/L	400/920/288	76
83	W 40 W P/L	400/1283/288	104
84	W 40 W pełna P/L	400/1283/288	87
85	W 30 P/L	300/720/288	41
86	W 30/92 P/L	300/920/288	50
87	WO 30/92	300/920/288	26
88	WO 20/92	200/920/288	26
89	WO 20 S/1	200/720/288	33
90	WO 20 S/2	200/720/288	45
91	WO 20 S/2 / 92	200/920/288	45
92	WRS P/L	600/720/600	87
93	WR P/L	600/720/600	82
94	WRS/92 P/L	600/920/600	104
95	WR/92 P/L	600/920/600	102
96	WPO P/L	290/720/288	24
97	WPO/92 P/L	290/920/288	26
98	WO15*	OD 150 DO 400/720/446	24
99	DO15*	OD 150 DO 400/820/446	41
100	Zostawa z obrzązka(bez dosky)		841
101	Zostawa 1,8/2,4m (bez dosky)	1,8/2,4 mb	530
102	Zostawa 2,60m (bez dosky)	2,6 mb	664

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMIER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKI



AMELIA

LP	SKRINKY	ROZMER	CENA
1	D 100	1000/820/446	105
2	D 100 S/2	1000/820/446	144
3	D 80	800/820/446	91
4	D 80 ZL	800/820/446	77
5	D 80 ZL ZAŚLEPKA	800/820/446	82
6	D 80 S/1	800/820/446	111
7	D 80 S/3	800/820/446	156
8	D 80 KRATKA	800/820/446	161
9	D 60	600/820/446	76
10	D 60 1 P/L	600/820/446	69
11	D 60 ZL 1 P/L	600/820/446	65
12	D 60 S/1 P/L	600/820/446	87
13	D 60 S/3	600/820/446	128
14	DK 60	600/820/510	52
15	D 60 PC P/L	600/820/446	75
16	D 60 Lo P/L	600/2133/560	197
17	D 60 Lo /2300 P/L	600/2333/560	195
18	D 60 PK s/3 1430	600/1430/560	180
19	D 60 SL/1430/560	600/1430/560	133
20	D 60 PK /2133 P/L	600/2133/560	174
21	D 60 PK / 2333 P/L	600/2333/560	193
22	D 60 PK S/3 / 2133 P/L	600/2133/560	247
23	D 60 PK MV S/3 / 2133 P/L	600/2133/560	234
24	D 60 PK MV	600/2133/560	174
25	D 50 P/L	500/820/446	63
26	D 50 S/1 P/L	500/820/446	82
27	D 40 P/L	400/820/446	55
28	D 40 S/1 P/L	400/820/446	76
29	D 40 S/3	400/820/446	106
30	D 40 S/4	400/820/446	113
31	D 40 K P/L	400/820/446	86
32	DB40/A	400/820/446	94
33	D 40 SL P/L /2133	400/2133/560	150
34	D 40 SL P/L /2333	400/2333/560	174
35	D 30 P/L	300/820/446	47
36	D 30 S/1 P/L	300/820/446	69
37	DB30/A	300/820/446	60
38	D 20 S/4	200/820/446	87
39	DRP P/L	786/820/786	113
40	DNP P/L	900/820/446	101
41	DPO P/L	290/820/560	36
42	D15 CARGO P/L	150/820/510	76
43	Obudowa wyspy	1237/1020/410	62
44	Front do zmyw. 45 p. o	446/570	32
45	Front do zmyw. 45 p. u.	446/713	32
46	Front do zmyw. 60 p.o.	596/570	41
47	Front do zmyw. 60 p. u.	596/713	41
48	Bok kończący/zaślepka MDF/2133	2133/560	93
49	Bok kończący/zaślepka MDF/2333	2333/560	102
50	W 100	1000/720/288	96

51	W 80	800/720/288	83
52	WS 80	800/720/288	109
53	W 80 SU (ociekaarka alu)	800/720/288	85
54	W 80 K	800/720/288	152
55	W 80 GR S/5	800/720/288	137
56	WS 80 S/5	800/720/288	146
57	W 80 s/5	800/720/288	139
58	W 80/92	800/920/288	102
59	WS 80/92	800/920/288	137
60	WS 80/92	800/920/288	137
61	W 80 W	800/1283/288	158
62	W 80 W pełna	800/1283/288	145
63	W 80 GR F/2	800/720/288	90
64	W 80 ok. gr	800/360/288	58
65	W 60	600/720/288	67
66	W 60 SU (ociekaarka alu)	600/720/288	77
67	W 60 SU P/L (ociekaarka alu)	600/720/288	77
68	W 60 P/L	600/720/288	65
69	W 60 K P/L	600/720/288	132
70	W 60/92	600/920/288	81
71	W 60 GRF/2	600/720/288	71
72	W 60 ok. gr	600/360/288	41
73	W 50 P/L	500/720/288	54
74	W 50/92	500/920/288	70
75	W 50 ok. gr	500/360/288	41
76	W 40 P/L	400/720/288	47
77	W 45 P/L	450/720/288	52
78	WS 40 P/L	400/720/288	61
79	W 40 K P/L	400/720/288	82
80	W 40PGZ P/L	400/720/288	43
81	W 40/92 P/L	400/920/288	57
82	W 40 OK.GR	400/360/288	38
83	WS 40/92 P/L	400/920/288	76
84	W 40 W P/L	400/1283/288	104
85	W 40 W pełna P/L	400/1283/288	87
86	W 30 P/L	300/720/288	41
87	W 30/92 P/L	300/920/288	50
88	WO 30/92	300/920/288	26
89	WO 20/92	200/920/288	26
90	WO 20 S/1	200/720/288	33
91	WO 20 S/2	200/720/288	45
92	WO 20 S/2 / 92	200/920/288	45
93	WRS P/L	600/720/600	87
94	WR P/L	600/720/600	82
95	WRS/92 P/L	600/920/600	104
96	WR/92 P/L	600/920/600	102
97	WPO P/L	290/720/288	24
98	WPO/92 P/L	290/920/288	26
99	WO15*	OD 150 DO 400/720/446	24
100	DO15*	OD 150 DO 400/820/446	41
101	Zostawa z obrzązka(bez dosky)		1160
102	Zostawa 1,8/2,4m (bez dosky)	1,8/2,4 mb	530
103	Zostawa 2,60m (bez dosky)	2,6 mb	664

* SKRINKY DO 15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMIER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKI



LUS

ANNA

LP	SKRINKY	ROZMER	CENA
1	D 100	1000/820/446	105
2	D 100 S/2	1000/820/446	144
3	D 80	800/820/446	91
4	D 80 ZL	800/820/446	77
5	D 80 ZL ZAŚLEPKA	800/820/446	82
6	D 80 S/1	800/820/446	112
7	D 80 S/3	800/820/446	156
8	D 80 KRATKA	800/820/446	161
9	D 60	600/820/446	75
10	D 60 1 P/L	600/820/446	69
11	D 60 ZL 1 P/L	600/820/446	65
12	D 60 S/1 P/L	600/820/446	87
13	D 60 S/3	600/820/446	128
14	DK 60	600/820/510	52
15	D 60 PC P/L	600/820/446	75
16	D 60 Lo P/L	600/2133/560	197
17	D 60 Lo /2333 P/L	600/2333/560	195
18	D 60 PK s/3 1430	600/1430/560	180
19	D 60 SL/1430 P/L	600/1430/560	133
20	D 60 PK /2133 P/L	600/2133/560	174
21	D 60 PK / 2333 P/L	600/2333/560	193
22	D 60 PK S/3 / 2100 P/L	600/2133/560	247
23	D 60 PK MV S/3 / 2133 P/L	600/2133/560	234
24	D 60 PK MV	600/2133/560	174
25	D 50 P/L	500/820/446	63
26	D 50 S/1 P/L	500/820/446	82
27	D 40 P/L	400/820/446	55
28	D 40 S/1 P/L	400/820/446	76
29	D 40 S/3	400/820/446	107
30	D 40 S/4	400/820/446	113
31	D 40 K P/L	400/820/446	86
32	DB40/A	400/820/446	94
33	D 40 SL P/L /2133	400/2133/560	150
34	D 40 SL P/L /2333	400/2333/560	174
35	D 30 P/L	300/820/446	47
36	D 30 S/1 P/L	300/820/446	69
37	DB30/A	300/820/446	60
38	D 20 S/4	200/820/446	87
39	DRP P/L	786/820/786	113
40	DNP P/L	900/820/446	101
41	DPO P/L	290/820/560	36
42	D15 CARGO P/L	150/820/510	76
43	Obudowa wyspy	1237/1020/410	62
44	Front do zmyw. 45 p. o	446/570	31
45	Front do zmyw. 45 p. u.	446/713	31
46	Front do zmyw. 60 p.o.	596/570	41
47	Front do zmyw. 60 p. u.	596/713	41
48	Bok kończący/zaślepka MDF/2133	2133/560	93
49	Bok kończący/zaślepka MDF/2333	2333/560	102
50	W 100	1000/720/288	96

51	W 80	800/720/288	83
52	WS 80	800/720/288	109
53	W 80 SU (ociekaarka alu)	800/720/288	84
54	W 80 K	800/720/288	152
55	W 80 GR S/5	800/720/288	137
56	WS 80 S/5	800/720/288	146
57	W 80 s/5	800/720/288	139
58	W 80/92	800/920/288	102
59	WS 80/92	800/920/288	137
60	WS 80/92	800/920/288	137
61	W 80 W	800/1283/288	158
62	W 80 W pełna	800/1283/288	145
63	W 80 GRF/2	800/720/288	90
64	W 80 ok gr	800/360/288	59
65	W 60	600/720/288	66
66	W 60 SU (ociekaarka alu)	600/720/288	77
67	W 60 SU P/L (ociekaarka alu)	600/720/288	77
68	W 60 P/L	600/720/288	65
69	W 60 K P/L	600/720/288	132
70	W 60/92	600/920/288	81
71	W 60 GRF/2	600/720/288	71
72	W 60 ok. gr	600/360/288	41
73	W 50 P/L	500/720/288	54
74	W 50/92	500/920/288	70
75	W 50 ok. gr	500/360/288	41
76	W 40 P/L	400/720/288	47
77	W 45 P/L	450/720/288	52
78	WS 40 P/L	400/720/288	61
79	W 40 K P/L	400/720/288	82
80	W 40PGZ P/L	400/720/288	43
81	W 40/92 P/L	400/920/288	57
82	W 40 OK.GR	400/360/288	38
83	WS 40/92 P/L	400/920/288	76
84	W 40 W P/L	400/1283/288	104
85	W 40 W pełna P/L	400/1283/288	87
86	W 30 P/L	300/720/288	41
87	W 30/92 P/L	300/920/288	50
88	WO 30/92	300/920/288	26
89	WO 20/92	200/920/288	26
90	WO 20 S/1	200/720/288	33
91	WO 20 S/2	200/720/288	45
92	WO 20 S/2 / 92	200/920/288	45
93	WRS P/L	600/720/600	87
94	WR P/L	600/720/600	82
95	WRS/92 P/L	600/920/600	104
96	WR/92 P/L	600/920/600	102
97	WPO P/L	290/720/288	24
98	WPO/92 P/L	290/920/288	26
99	WO15*	OD 150 DO 400/720/446	24
100	DO15*	OD 150 DO 400/820/446	41
101	Zostawa z obrzązka(bez dosky)		1279
102	Zostawa 1,8/2,4m (bez dosky)	1,8/2,4 mb	530
103	Zostawa 2,60m (bez dosky)	2,6 mb	664

* SKRINKY DO 15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMIER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKI



PLUS

EMILIA

LP	SKRINKY	ROZMER	CENA
1	D 80	800/820/446	94
2	D 80 ZL	800/820/446	90
3	D 80 ZL ZAŚL.	800/820/446	93
4	D 80 S/1	800/820/446	119
5	D 80 S/3	800/820/446	161
6	D 60	600/820/446	79
7	D 60 1 P/L	600/820/446	79
8	D 60 ZL 1 P/L	600/820/446	70
9	D 60 S/1 P/L	600/820/446	98
10	D 60 S/3	600/820/446	142
11	DK 60	600/820/510	61
12	D 60 PC P/L	600/820/446	88
13	D 60 Lo P/L	600/2100/560	203
14	D 60 SL/1430 P/L	600/1430/560	163
15	D 60 LO/2333 P/L	600/2333/560	228
16	D 60 PK /2100 P/L	600/2133/560	197
17	D 60 PK/2333 P/L	600/2333/560	221
18	D 60 PK s/3 1430	600/1430/560	176
19	D 60 PK MV	600/2133/560	176
20	D 60 PK S/3 / 2133 P/L	600/2133/560	272
21	D 60 PK MV S/3 / 2133 P/L	600/2133/560	255
22	D 50 P/L	500/820/446	79
23	D 50 S/1 P/L	500/820/446	86
24	D 40 P/L	400/820/446	58
25	D 40 S/1 P/L	400/820/446	82
26	D 40 S/3	400/820/446	127
27	D 40 S/4	400/820/446	132
28	D 40 SL P/L /2133	400/2133/560	180
29	D 40 SL/2333 P/L	400/2333/560	204
30	D 30 P/L	300/820/446	51
31	D 30 S/1 P/L	300/820/446	79
32	DRP P/L	786/820/786	130
33	DNP P/L	900/820/446	108
34	DPO P/L	290/820/560	42
35	D 15 CARGO P/L	150/820/510	84
36	Obudowa wyspy	1237/1020/410	61
37	Front do zmyw. 45 p. o	446/570	32
38	Front do zmyw. 45 p. u.	446/713	32
39	Front do zmyw. 60 p.o.	596/570	45
40	Front do zmyw. 60 p. u.	596/713	45
41	Bok kończący/zaślepka MDF/2133	2133/560	117
42	Bok kończący/zaślepka MDF/2333	2333/560	122
43	W 80	800/720/288	93
44	W 80/58	800/720/288	84
45	W 80 SU (ociekačka alu)	800/720/288	96
46	W 80 GRF/2	800/720/288	112
47	W 80 ok gr	800/360/288	60
48	WS 80 ok. gr ramka ALU	800/360/288	102
49	W 60	600/720/288	79
50	W 60 P/L	600/720/288	79
51	W 60/58 P/L	600/580/288	70
52	W 60/92	600/720/288	98
53	W 60 SU (ociekačka alu)	600/720/288	91
54	W 60 SU P/L (ociekačka alu)	600/720/288	91
55	W 60 GRF/2	600/720/288	90
56	W 60 ok. gr	600/360/288	56
57	WS 60 ok. gr ramka ALU	800/360/288	87
58	W 50 P/L	500/720/288	62
59	W 50/92 P/L	500/920/288	84
60	W 40 P/L	400/720/288	53
61	W 40/58 P/L	400/580/288	57
62	W 40 W PEŁNA P/L	400/1283/288	102
63	W 45 P/L	450/720/288	58
64	W 30 P/L	300/720/288	47
65	W 30/58 P/L	300/580/288	42
66	WR P/L	600/720/600	83
67	WR/58 P/L	600/580/288	64
68	WPO P/L	290/720/288	27

69	WO15*	OD 150 DO 400/720/446	27
70	DO15*	OD 150 DO 400/620/446	46
71	Zostava z obrázka (bez dosky)		1526
72	Zostava 2,60 (bez dosky)	2,6m	716

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMIER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKY



EWA

LP	SKRINKY	ROZMER	CENA
1	D 100	1000/820/446	105
2	D 100 S/2	1000/820/446	144
3	D 80	800/820/446	91
4	D 80 ZL	800/820/446	77
5	D 80 ZL ZAŚLEPKA	800/820/446	82
6	D 80 S/1	800/820/446	112
7	D 80 S/3	800/820/446	156
8	D 80 KRATKA	800/820/446	161
9	D 60	600/820/446	75
10	D 60 1 P/L	600/820/446	69
11	D 60 ZL 1 P/L	600/820/446	65
12	D 60 S/1 P/L	600/820/446	87
13	D 60 S/3	600/820/446	128
14	DK 60	600/820/510	52
15	D 60 PC P/L	600/820/446	75
16	D 60 Lo P/L	600/2133/560	197
17	D 60 Lo /2333 P/L	600/2333/560	195
18	D 60 PK s/3 1430	600/1430/560	180
19	D 60 SL/1430 P/L	600/1430/560	133
20	D 60 PK /2133 P/L	600/2133/560	174
21	D 60 PK / 2333 P/L	600/2333/560	193
22	D 60 PK S/3 / 2133 P/L	600/2133/560	247
23	D 60 PK MV S/3 / 2133 P/L	600/2133/560	234
24	D 60 PK MV	600/2133/560	174
25	D 50 P/L	500/820/446	63
26	D 50 S/1 P/L	500/820/446	82
27	D 40 P/L	400/820/446	55
28	D 40 S/1 P/L	400/820/446	76
29	D 40 S/3	400/820/446	107
30	D 40 S/4	400/820/446	113
31	D 40 K P/L	400/820/446	86
32	DB40/A	400/820/446	94
33	D 40 SL P/L /2133	400/2133/560	150
34	D 40 SL P/L /2333	400/2333/560	174
35	D 30 P/L	300/820/446	47
36	D 30 S/1 P/L	300/820/446	69
37	DB30/A	300/820/446	60
38	D 20 S/4	200/820/446	87
39	DRP P/L	786/820/786	113
40	DNP P/L	900/820/446	101
41	DPO P/L	290/820/560	36
42	D15 CARGO P/L	150/820/510	76
43	Obudowa wyspy	1237/1020/410	62
44	Front do zmyw. 45 p. o	446/570	31
45	Front do zmyw. 45 p. u.	446/713	31
46	Front do zmyw. 60 p.o.	596/570	41
47	Front do zmyw. 60 p. u.	596/713	41
48	Bok kończący/zaślepka MDF/2133	2133/560	93
49	Bok kończący/zaślepka MDF/2333	2333/560	102
50	W 100	1000/720/288	96

51	W 80	800/720/288	83
52	WS 80	800/720/288	109
53	W 80 SU (ociekaarka alu)	800/720/288	84
54	W 80 K	800/720/288	152
55	W 80 GR S/5	800/720/288	137
56	WS 80 S/5	800/720/288	146
57	W 80 s/5	800/720/288	139
58	W 80/92	800/920/288	102
59	WS 80/92	800/920/288	137
60	WS 80/92	800/920/288	137
61	W 80 W	800/1283/288	158
62	W 80 W pełna	800/1283/288	145
63	W 80 GRF/2	800/720/288	90
64	W 80 ok gr	800/360/288	59
65	W 60	600/720/288	66
66	W 60 SU (ociekaarka alu)	600/720/288	77
67	W 60 SU P/L (ociekaarka alu)	600/720/288	77
68	W 60 P/L	600/720/288	65
69	W 60 K P/L	600/720/288	132
70	W 60/92	600/920/288	81
71	W 60 GRF/2	600/720/288	71
72	W 60 ok. gr	600/360/288	41
73	W 50 P/L	500/720/288	54
74	W 50/92	500/920/288	70
75	W 50 ok. gr	500/360/288	41
76	W 40 P/L	400/720/288	47
77	W 45 P/L	450/720/288	52
78	WS 40 P/L	400/720/288	61
79	W 40 K P/L	400/720/288	82
80	W 40PGZ P/L	400/720/288	43
81	W 40/92 P/L	400/920/288	57
82	W 40 OK.GR	400/360/288	38
83	WS 40/92 P/L	400/920/288	76
84	W 40 W P/L	400/1283/288	104
85	W 40 W pełna P/L	400/1283/288	87
86	W 30 P/L	300/720/288	41
87	W 30/92 P/L	300/920/288	50
88	WO 30/92	300/920/288	26
89	WO 20/92	200/920/288	26
90	WO 20 S/1	200/720/288	33
91	WO 20 S/2	200/720/288	45
92	WO 20 S/2 / 92	200/920/288	45
93	WRS P/L	600/720/600	87
94	WR P/L	600/720/600	82
95	WRS/92 P/L	600/920/600	104
96	WR/92 P/L	600/920/600	102
97	WPO P/L	290/720/288	24
98	WPO/92 P/L	290/920/288	26
99	WO15*	OD 150 DO 400/720/446	24
100	DO15*	OD 150 DO 400/820/446	41
101	Zostawa z obrzązka(bez dosky)		546
102	Zostawa 1,8/2,4m (bez dosky)	1,8/2,4 mb	530
103	Zostawa 2,60m (bez dosky)	2,6 mb	664

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMIER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKI



1 PLUS

ZOFIA

LP	SKRINKY	ROZMER	CENA
1	D 100	1000/820/446	105
2	D 100 S/2	1000/820/446	144
3	D 80	800/820/446	91
4	D 80 ZL	800/820/446	77
5	D 80 ZL ZAŚLEPKA	800/820/446	82
6	D 80 S/1	800/820/446	112
7	D 80 S/3	800/820/446	156
8	D 80 KRATKA	800/820/446	161
9	D 60	600/820/446	75
10	D 60 1 P/L	600/820/446	69
11	D 60 ZL 1 P/L	600/820/446	65
12	D 60 S/1 P/L	600/820/446	87
13	D 60 S/3	600/820/446	128
14	DK 60	600/820/510	52
15	D 60 PC P/L	600/820/446	75
16	D 60 Lo P/L	600/2133/560	197
17	D 60 Lo /2300 P/L	600/2333/560	195
18	D 60 PK s/3 1430	600/1430/560	180
19	D 60 SL/1430 P/L	600/1430/560	133
20	D 60 PK /2133 P/L	600/2133/560	174
21	D 60 PK / 2333 P/L	600/2333/560	193
22	D 60 PK S/3 / 2133 P/L	600/2133/560	247
23	D 60 PK MV S/3 / 2133 P/L	600/2133/560	234
24	D 60 PK MV	600/2133/560	174
25	D 50 P/L	500/820/446	63
26	D 50 S/1 P/L	500/820/446	82
27	D 40 P/L	400/820/446	55
28	D 40 S/1 P/L	400/820/446	76
29	D 40 S/3	400/820/446	107
30	D 40 S/4	400/820/446	113
31	D 40 K P/L	400/820/446	86
32	DB40/A	400/820/446	94
33	D 40 SL P/L /2100	400/2100/560	150
34	D 40 SL P/L /2300	400/2300/560	174
35	D 30 P/L	300/820/446	47
36	D 30 S/1 P/L	300/820/446	69
37	DB30/A	300/820/446	60
38	D 20 S/4	200/820/446	87
39	DRP P/L	786/820/786	113
40	DNP P/L	900/820/446	101
41	DPO P/L	290/820/560	36
42	D15 CARGO P/L	150/820/510	76
43	Obudowa wyspy	1237/1020/410	62
44	Front do zmyw. 45 p. o	446/570	31
45	Front do zmyw. 45 p. u.	446/713	31
46	Front do zmyw. 60 p.o.	596/570	41
47	Front do zmyw. 60 p. u.	596/713	41
48	Bok kończący/zaślepka MDF/2133	2133/560	93
49	Bok kończący/zaślepka MDF/2333	2333/560	102
50	W 100	1000/720/288	96

51	W 80	800/720/288	83
52	WS 80	800/720/288	109
53	W 80 SU (ociekaarka alu)	800/720/288	84
54	W 80 K	800/720/288	152
55	W 80 GR S/5	800/720/288	137
56	WS 80 S/5	800/720/288	146
57	W 80 s/5	800/720/288	139
58	W 80/92	800/920/288	102
59	WS 80/92	800/920/288	137
60	WS 80/92	800/920/288	137
61	W 80 W	800/1283/288	158
62	W 80 W pełna	800/1283/288	145
63	W 80 GRF/2	800/720/288	90
64	W 80 ok gr	800/360/288	59
65	W 60	600/720/288	66
66	W 60 SU (ociekaarka alu)	600/720/288	77
67	W 60 SU P/L (ociekaarka alu)	600/720/288	77
68	W 60 P/L	600/720/288	65
69	W 60 K P/L	600/720/288	132
70	W 60/92	600/920/288	81
71	W 60 GRF/2	600/720/288	71
72	W 60 ok. gr	600/360/288	41
73	W 50 P/L	500/720/288	54
74	W 50/92	500/920/288	70
75	W 50 ok. gr	500/360/288	41
76	W 40 P/L	400/720/288	47
77	W 45 P/L	450/720/288	52
78	WS 40 P/L	400/720/288	61
79	W 40 K P/L	400/720/288	82
80	W 40PGZ P/L	400/720/288	43
81	W 40/92 P/L	400/920/288	57
82	W 40 OK.GR	400/360/288	38
83	WS 40/92 P/L	400/920/288	76
84	W 40 W P/L	400/1283/288	104
85	W 40 W pełna P/L	400/1283/288	87
86	W 30 P/L	300/720/288	41
87	W 30/92 P/L	300/920/288	50
88	WO 30/92	300/920/288	26
89	WO 20/92	200/920/288	26
90	WO 20 S/1	200/720/288	33
91	WO 20 S/2	200/720/288	45
92	WO 20 S/2 / 92	200/920/288	45
93	WRS P/L	600/720/600	87
94	WR P/L	600/720/600	82
95	WRS/92 P/L	600/920/600	104
96	WR/92 P/L	600/920/600	102
97	WPO P/L	290/720/288	24
98	WPO/92 P/L	290/920/288	26
99	WO15*	OD 150 DO 400/720/446	24
100	DO15*	OD 150 DO 400/820/446	41
101	Zostawa z obrzązka(bez dosky)		1993
102	Zostawa 1,8/2,4m (bez dosky)	1,8/2,4 mb	530
103	Zostawa 2,60m (bez dosky)	2,6 mb	664

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMIER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKI



LUS

IWONA

LP	SKRINKY	ROZMER	CENA
1	D 100	1000/820/446	99
2	D 80	800/820/446	85
3	D 80 ZL	800/820/446	73
4	D 80 ZL ZAŚLEPKA	800/820/446	75
5	D 80 S/1	800/820/446	106
6	D 80 S/3	800/820/446	142
7	D 80 KRATKA	800/820/446	158
8	D 60 P/L	600/820/446	71
9	D 60	600/820/446	71
10	D 60 ZL 1 P/L	600/820/446	61
11	D 60 S/1 P/L	600/820/446	87
12	D 60 S/3	600/820/446	124
13	DK 60	600/820/510	59
14	D 60 PC P/L	600/820/446	78
15	D 60 Lo P/L	600/2133/560	173
16	D 60 SL/1433 P/L	600/1430/446	134
17	D 60 LO/2333 P/L	600/2333/560	189
18	D 60 PK s/3 1430	600/1430/560	168
19	D 60 PK /2133 P/L	400/2133/560	171
20	D 60 PK/2333 P/L	600/2333/560	193
21	D 60 PK S/3 / 2133 P/L	600/2133/560	217
22	D 60 PK MV S/3 / 2133 P/L	600/2133/560	207
23	D 60 PK MV	600/2133/560	179
24	D 50 P/L	500/820/446	62
25	D 50 S/1 P/L	500/820/446	79
26	D 40 P/L	400/820/446	53
27	D 40 S/1	400/820/446	70
28	D 40 S/3	400/820/446	106
29	D 40 S/4	400/820/446	114
30	DB40/A	400/820/446	95
31	D 40 KRATKA	400/820/446	92
32	D 40 SŁ P/L /2100	400/2133/560	159
33	D 40 SL/2333 P/L	400/2333/560	165
34	D 30 P/L	300/820/446	46
35	D 30 S/1 P/L	300/820/446	64
36	DB30/A	300/820/446	64
37	D 20 S/4	200/820/446	84
38	DRP P/L	786/820/786	113
39	DNP P/L	900/820/446	96
40	DPO P/L	290/820/560	39
41	D 15 CARGO P/L	150/820/510	78
42	Obudowa wyspy	1237/1020/410	68
43	Front do zmyw. 45 p. o	446/570	31
44	Front do zmyw. 45 p. u.	446/713	31
45	Front do zmyw. 60 p.o.	596/570	45
46	Front do zmyw. 60 p. u.	596/713	45
47	Bok kończący/zaślepka MDF/2100	2100/560	78
48	Bok kończący/zaślepka MDF/2300	2300/560	86

49	W 100	1000/720/288	94
50	W 80	800/720/288	76
51	W 80/92	800/920/288	97
52	WS 80	800/720/288	90
53	WS 80/92	800/720/288	117
54	W 80 SU (ociekaarka alu)	800/720/288	84
55	W 80 K	800/720/288	133
56	W 80 GR S/5	800/720/288	132
57	W 80 s/5	800/720/288	128
58	WS 80 s/5	800/720/288	172
59	W 80 W	800/1283/288	140
60	W 80 W pełna	800/1283/288	142
61	W 80 GRF/2	800/720/288	89
62	W 80 ok gr	800/360/288	50
63	W 60	600/720/288	61
64	W 60/92	600/720/288	77
65	W 60 SU (ociekaarka alu)	600/720/288	73
66	W 60 SU P/L (ociekaarka alu)	600/720/288	73
67	W 60 P/L	600/720/288	58
68	W 60 K P/L	600/720/288	87
69	W 60 GRF/2	600/720/288	70
70	W 60 ok. gr	600/360/288	39
71	W 50 P/L	500/720/288	51
72	W 50/92 P/L	500/720/288	68
73	W 50 OK.GR	500/360/288	39
74	W 40 P/L	400/720/288	46
75	W 40/92 P/L	400/920/288	57
76	W 40 PGZ P/L	400/720/288	33
77	W 45 P/L	450/720/288	51
78	WS 40 P/L	400/720/288	52
79	WS 40/92 P/L	400/920/288	68
80	W 40 K P/L	400/720/288	74
81	W 40 W P/L	400/1283/288	94
82	W 40 W pełna P/L	400/1283/288	82
83	W 40 OKGR	400/360/288	31
84	W 30 P/L	300/720/288	38
85	WO 30/92	300/920/288	28
86	WO 20/92	200/920/288	25
87	WO 20 S/1	200/720/288	32
88	WO 20 S/2	200/720/288	40
89	WO 20 S/2/92	200/920/288	41
90	WRS P/L	600/720/600	76
91	WR P/L	600/720/600	71
92	WR/92 P/L	600/920/600	88
93	WRS/92 P/L	600/920/600	101
94	WPO P/L	290/720/288	24
95	WPO/92 P/L	290/720/288	27
96	WO15*	OD 150 DO 400/720/446	27
97	DO15*	OD 150 DO 400/820/446	46
98	Zostawa z obrazka(bez dosky)		1166
99	Zostava 1,8/2,4m (bez dosky)	1,8/2,4 mb	494
100	Zostava 2,60m (bez dosky)	2,6 mb	624

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMIER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKY



JUSTYNA LAKIER

LP	SKRINKY	ROZMER	CENA
1	D 80	800/820/446	92
2	D 80 ZL	800/820/446	78
3	D 80 ZL ZAŚL.	800/820/446	134
4	D 80 S/1	800/820/446	113
5	D 80 S/3	800/820/446	171
6	D 60	600/820/446	79
7	D 60 1 P/L	600/820/446	71
8	D 60 ZL 1 P/L	600/820/446	66
9	D 60 S/1 P/L	600/820/446	87
10	D 60 S/3	600/820/446	141
11	DK 60	600/820/510	54
12	D 60 PC P/L	600/820/446	75
13	D 60 Lo P/L	600/2133/560	211
14	D 60 Lo /2333 P/L	600/2333/560	212
15	D 60 PK s/3 1430	600/1430/560	193
16	D 60 PK /2133 P/L	600/2133/560	183
17	D 60 PK / 2333 P/L	600/2333/560	206
18	D 60 PK MV	600/2133/560	173
19	D 60 PK S/3/2133	600/2133/560	253
20	D 60 PK MV S/3/2133	600/2133/560	238
21	D 50 P/L	500/820/446	65
22	D 50 S/1 P/L	500/820/446	83
23	D 40 P/L	400/820/446	58
24	D 40 S/1 P/L	400/820/446	78
25	D 40 S/3	400/820/446	105
26	D 40 S/4	400/820/446	114
27	D 40 SL P/L /2100	400/2100/560	166
28	D 40 SL P/L /2300	400/2300/560	192
29	D 30 P/L	300/820/446	51
30	D 30 S/1 P/L	300/820/446	77
31	DRP P/L	786/820/786	122
32	DNP P/L	900/820/446	104
33	DPO P/L	290/820/560	38
34	D 15 CARGO P/L	150/820/510	82
35	Obudowa wyspy	1237/1020/410	60
36	Front do zmyw. 45 p. o	446/570	32
37	Front do zmyw. 45 p. u.	446/713	32
38	Front do zmyw. 60 p.o.	596/570	43
39	Front do zmyw. 60 p. u.	596/713	43
40	Bok kończący/zaślepka MDF/2133	2133/560	96
41	Bok kończący/zaślepka MDF/2333	2333/560	101

42	W 80	800/720/288	84
43	WS 80	800/720/288	106
44	W 80 SU (ociekaarka alu)	800/720/288	87
45	W 80/92	800/920/288	102
46	W 80 W	800/1283/288	109
47	W 80 W pełna	800/1283/288	88
48	W 80 GRF/2	800/720/288	93
49	W 80 ok gr	800/360/288	51
50	WS 80GRF/2	800/720/288	110
51	WS 80 ok.gr	800/360/288	61
52	WS 80 OKGR RAM.ALU	800/360/288	67
53	W 60	600/720/288	66
54	W 60/58 P/L	600/580/288	54
55	W 60 SU (ociekaarka alu)	600/720/288	77
56	W 60 SU P/L (ociekaarka alu)	600/720/288	77
57	W 60 P/L	600/720/288	62
58	WS 60 P/L	600/720/288	77
59	W 60/92	600/920/288	86
60	WS 60 GRF/2	600/720/288	75
61	W 60 GRF/2	600/720/288	75
62	W 60 ok. gr	600/360/288	45
63	WS 60 ok.gr	600/360/288	56
64	WS 60 OKGR RAM.ALU	800/360/288	56
65	W 50 P/L	500/720/288	58
66	W 50/92 P/L	500/920/288	74
67	W 50 ok. gr	500/360/288	41
68	W 40 P/L	400/720/288	48
69	W 40/58 P/L	400/580/288	41
70	WS 40 P/L	400/720/288	56
71	W 40/92 P/L	400/920/288	58
72	W 40 W P/L	400/1283/288	98
73	W 40 W pełna P/L	400/1283/288	85
74	W 40 OKGR	400/360/288	37
75	W 30 P/L	300/720/288	44
76	W 30/58 P/L	300/580/288	35
77	W 30/92 P/L	300/920/288	51
78	WO 30/92	300/920/288	27
79	WO 20/92	200/920/288	27
80	WR P/L	600/720/600	87
81	WR/58 P/L	600/580/600	55
82	WR/92 P/L	600/920/600	101
83	WPO P/L	290/720/288	24
84	WPO/92 P/L	290/920/288	26
85	WO15*	OD 150 DO 400/720/446	25
86	DO15*	OD 150 DO 400/820/446	42
87	Zostawa z obrážka (bez dosky)		1474
88	Zostava 1,8/2,4m (bez dosky)	1,8/2,4m	537
89	Zostava 2,60m (bez dosky)	2,6m	672

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKY



KLEMENTYNA

LP	SKRINKY	ROZMER	CENA
1	D 100	1000/820/446	105
2	D 100 S/2	1000/820/446	144
3	D 80	800/820/446	91
4	D 80 ZL	800/820/446	77
5	D 80 ZL ZAŚLEPKA	800/820/446	82
6	D 80 S/1	800/820/446	112
7	D 80 S/3	800/820/446	156
8	D 80 KRATKA	800/820/446	161
9	D 60	600/820/446	75
10	D 60 1 P/L	600/820/446	69
11	D 60 ZL 1 P/L	600/820/446	65
12	D 60 S/1 P/L	600/820/446	87
13	D 60 S/3	600/820/446	128
14	DK 60	600/820/510	52
15	D 60 PC P/L	600/820/446	75
16	D 60 Lo P/L	600/2133/560	197
17	D 60 Lo /2333 P/L	600/2300/560	195
18	D 60 PK s/3 1430	600/1430/560	180
19	D 60 SL/1430 P/L	600/1430/560	133
20	D 60 PK /2133 P/L	600/2133/560	174
21	D 60 PK / 2333P/L	600/2333/560	193
22	D 60 PK S/3 / 2133 P/L	600/2133/560	247
23	D 60 PK MV S/3 / 2133 P/L	600/2133/560	234
24	D 60 PK MV	600/2133/560	174
25	D 50 P/L	500/820/446	63
26	D 50 S/1 P/L	500/820/446	82
27	D 40 P/L	400/820/446	55
28	D 40 S/1 P/L	400/820/446	76
29	D 40 S/3	400/820/446	107
30	D 40 S/4	400/820/446	113
31	D 40 K P/L	400/820/446	86
32	DB40/A	400/820/446	94
33	D 40 SL P/L /2133	400/2133/560	150
34	D 40 SL P/L /2333	400/2333/560	174
35	D 30 P/L	300/720/446	47
36	D 30 S/1 P/L	300/720/446	69
37	DB30/A	300/820/446	60
38	D 20 S/4	200/820/446	87
39	DRP P/L	786/820/786	113
40	DNP P/L	900/820/446	101
41	DPO P/L	290/820/560	36
42	D15 CARGO P/L	150/820/510	76
43	Obudowa wyspy	1237/1020/410	62
44	Front do zmyw. 45 p. o	446/570	31
45	Front do zmyw. 45 p. u.	446/713	31
46	Front do zmyw. 60 p.o.	596/570	41
47	Front do zmyw. 60 p. u.	596/713	41
48	Bok kończący/zaślepka MDF/2133	2133/560	93
49	Bok kończący/zaślepka MDF/2333	2333/560	102
50	W 100	1000/720/288	96

51	W 80	800/720/288	83
52	W 80/58	800/580/288	68
53	WS 80	800/720/288	109
54	W 80 SU (ociekaarka alu)	800/720/288	84
55	W 80 K	800/720/288	152
56	W 80 GR S/5	800/720/288	137
57	W 80 s/5	800/720/288	139
58	WS 80 S/5	800/720/288	146
59	W 80/92	800/920/288	102
60	WS 80/92	800/920/288	137
61	WS 80/92	800/920/288	137
62	W 80 W	800/1283/288	158
63	W 80 W pełna	800/1283/288	145
64	W 80 GRF/2	800/720/288	90
65	W 80 ok gr	800/360/288	59
66	W 60	600/720/288	66
67	W 60 SU (ociekaarka alu)	600/720/288	77
68	W 60 SU P/L (ociekaarka alu)	600/720/288	77
69	W 60 P/L	600/720/288	65
70	W 60 K P/L	600/720/288	132
71	W 60/92	600/920/288	81
72	W 60 GRF/2	600/720/288	71
73	W 60 ok. gr	600/360/288	41
74	W 50 P/L	500/720/288	54
75	W 50/92	500/920/288	70
76	W 50 ok. gr	500/360/288	41
77	W 40 P/L	400/720/288	47
78	W 45 P/L	450/720/288	51
79	WS 40 P/L	400/720/288	61
80	W 40 K P/L	400/720/288	82
81	W 40PGZ P/L	400/720/288	43
82	W 40/92 P/L	400/920/288	57
83	W 40 OK,GR	400/360/288	38
84	WS 40/92 P/L	400/920/288	76
85	W 40 W P/L	400/1283/288	104
86	W 40 W pełna P/L	400/1283/288	87
87	W 30 P/L	300/720/288	41
88	W 30/92 P/L	300/920/288	50
89	WO 30/92	300/920/288	26
90	WO 20/92	200/920/288	26
91	WO 20 S/1	200/720/288	33
92	WO 20 S/2	200/720/288	45
93	WO 20 S/2 / 92	200/920/288	45
94	WRS P/L	600/720/600	87
95	WR P/L	600/720/600	82
96	WRS/92 P/L	600/920/600	104
97	WR/92 P/L	600/920/600	102
98	WPO P/L	290/720/288	24
99	WPO/92 P/L	290/920/288	26
100	WO15*	OD 150 DO 400/720/446	24
101	DO15*	OD 150 DO 400/820/446	41
102	Zostawa z obrzązka(bez dosky)		1152
103	Zostawa 1,8/2,4m (bez dosky)	1,8/2,4 mb	530
104	Zostawa 2,60m (bez dosky)	2,6 mb	664

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKI



LAURA LAKIER

LP	SKRINKY	ROZMER	CENA
1	D 80	800/820/446	92
2	D 80 ZL	800/820/446	78
3	D 80 ZL ZAŚL.	800/820/446	80
4	D 80 S/1	800/820/446	113
5	D 80 S/3	800/820/446	171
6	D 60	600/820/446	79
7	D 60 1 P/L	600/820/446	71
8	D 60 ZL 1 P/L	600/820/446	66
9	D 60 S/1 P/L	600/820/446	87
10	D 60 S/3	600/820/446	141
11	DK 60	600/820/510	54
12	D 60 PC P/L	600/820/446	75
13	D 60 Lo P/L	600/2133/560	211
14	D 60 Lo /2333 P/L	600/2333/560	212
15	D 60 PK s/3 1430	600/1430/560	193
16	D 60 SL/1430 P/L	60/1430/560	137
17	D 60 PK /2133 P/L	600/2133/560	183
18	D 60 PK / 2333 P/L	600/2333/560	206
19	D 60 PK MV	600/2133/560	173
20	D 60 PK S/3/2133	600/2133/560	253
21	D 60 PK MV S/3/2133	600/2133/560	238
22	D 50 P/L	500/820/446	65
23	D 50 S/1 P/L	500/820/446	83
24	D 40 P/L	400/820/446	58
25	D 40 S/1 P/L	400/820/446	78
26	D 40 S/3	400/820/446	105
27	D 40 S/4	400/820/446	114
28	D 40 SL P/L /2133	400/2133/560	166
29	D 40 SL P/L /2333	400/2333/560	192
30	D 30 P/L	300/820/446	51
31	D 30 S/1 P/L	300/820/446	77
32	DRP P/L	786/820/786	122
33	DNP P/L	900/820/446	104
34	DPO P/L	290/820/560	38
35	D 15 CARGO P/L	150/820/510	82
36	Obudowa wyspy	1237/1020/410	60
37	Front do zmyw. 45 p. o	446/570	32
38	Front do zmyw. 45 p. u.	446/713	32
39	Front do zmyw. 60 p.o.	596/570	43
40	Front do zmyw. 60 p. u.	596/713	43
41	Bok kończący/zaślepka MDF/2133	2133/560	96
42	Bok kończący/zaślepka MDF/2333	2333/560	101

43	W 80	800/720/288	84
44	W 80/58	800/580/288	70
45	WS 80	800/720/288	106
46	W 80 SU (ociekaarka alu)	800/720/288	87
47	W 80/92	800/920/288	102
48	W 80 W	800/1283/288	109
49	W 80 W pełna	800/1283/288	88
50	W 80 GRF/2	800/720/288	93
51	W 80 ok gr	800/360/288	51
52	WS 80 GRF/2	800/720/288	110
53	WS 80 ok.gr	800/360/288	61
54	WS 80 OKGR RAM.ALU	800/360/288	67
55	W 60	600/720/288	66
56	W 60/58 P/L	600/580/288	54
57	W 60 SU (ociekaarka alu)	600/720/288	77
58	W 60 SU P/L (ociekaarka alu)	600/720/288	77
59	W 60 P/L	600/720/288	62
60	WS 60 P/L	600/720/288	77
61	W 60/92	600/920/288	86
62	W 60 GRF/2	600/720/288	75
63	W 60 ok. gr	600/360/288	45
64	WS 60 GRF/2	600/720/288	75
65	WS 60 ok.gr	600/360/288	56
66	WS 60 OKGR RAM.ALU	600/360/288	56
67	W 50 P/L	500/720/288	58
68	W 50/92 P/L	500/920/288	74
69	W 50 ok. gr	500/360/288	42
70	W 40 P/L	400/720/288	48
71	W 40/58 P/L	400/580/288	40
72	WS 40 P/L	400/720/288	56
73	W 45 P/L	450/720/288	53
74	W 40/92 P/L	400/920/288	58
75	W 40 W P/L	400/1283/288	98
76	W 40 W pełna P/L	400/1283/288	85
77	W 40 OKGR	400/360/288	37
78	W 30 P/L	300/720/288	44
79	W 30/58 P/L	300/580/288	35
80	W 30/92 P/L	300/920/288	51
81	WO 30/92	300/920/288	27
82	WO 20/92	200/920/288	27
83	WR P/L	600/720/600	87
84	WR/58 P/L	600/580/600	54
85	WR/92 P/L	600/920/600	101
86	WPO P/L	290/720/288	24
87	WPO/92 P/L	290/920/288	26
88	WO15*	OD 150 DO 400/720/446	25
89	DO15*	OD 150 DO 400/820/446	42
90	Zostawa z obrážka (bez dosky)		749
91	Zostava 1,8/2,4m (bez dosky)	1,8/2,4m	537
92	Zostava 2,60m (bez dosky)	2,6m	672

* SKRINKY DO15 ORAZ WO15 WYKONANE SĄ NA DOWOLNY ROZMER PODANY PRZEZ KLIENTA W ZAKRESIE OD 15 DO 40 cm. PRZY SKŁADANIU ZAMÓWIEŃ PROSIMY O OKREŚLENIE SZEROKOŚCI SKRINKY



NINA

LP	SKRINKY	ROZMER	CENA
1	D 80	800/820/446	93
2	D 80 ZL	800/820/446	83
3	D 80 ZL ZAŚL.	800/820/446	86
4	D 80 S/1	800/820/446	113
5	D 80 S/3	800/820/446	151
6	D 60	600/820/446	76
7	D 60 1 P/L	600/820/446	75
8	D 60 ZL 1 P/L	600/820/446	69
9	D 60 S/1 P/L	600/820/446	93
10	D 60 S/3	600/820/446	130
11	DK 60	600/820/510	42
12	D 60 PC P/L	600/820/446	75
13	D 60 Lo/2133 P/L	600/2133/560	192
14	D 60 Lo /2333 P/L	600/2333/560	212
15	D 60 SL/1430 P/L	600/1430/560	135
16	D 60 PK s/3 1430	600/1430/560	166
17	D 60 PK S/3/2133	600/2133/560	245
18	D 60 PK /2133P/L	600/2133/560	185
19	D 60 PK / 2333 P/L	600/2333/560	209
20	D 60 PK MV	600/2133/560	167
21	D 50 P/L	500/820/446	67
22	D 50 S/1 P/L	500/820/446	84
23	D 40 P/L	400/820/446	56
24	D 40 S/1 P/L	400/820/446	80
25	D 40 S/3	400/820/446	109
26	D 40 S/4	400/820/446	118
27	D 40 SL P/L /2133	400/2133/560	170
28	D 40 SL P/L /2333	400/2333/560	189
29	D 30 P/L	300/820/446	48
30	D 30 S/1 P/L	300/820/446	63
31	DRP P/L	786/820/786	118
32	DNP P/L	900/820/446	107
33	DPO P/L	290/820/560	38
34	D15 CARGO P/L	150/820/510	81
35	D 60 PK MV S/3/2133	600/2133/560	228
36	Obudowa wyspy	1237/1020/410	73
37	Front do zmyw. 45 p. o	446/570	31
38	Front do zmyw. 45 p. u.	446/713	31
39	Front do zmyw. 60 p.o.	596/570	41
40	Front do zmyw. 60 p. u.	596/713	41
41	Bok kończący/zaślepka MDF/2133	2133/560	106
42	Bok kończący/zaślepka MDF/2333	2333/560	116

43	W 80	800/720/288	84
44	WS 80	800/720/288	93
45	W 80/58	800/580/288	63
46	W 80 SU (ociekačka alu)	800/720/288	91
47	W 80/92	800/920/288	106
48	W 80 W peľna	800/1283/288	81
49	W 80 GRF/2	800/720/288	86
50	W 80 ok gr	800/360/288	53
51	WS 80 GRF/2	800/720/288	105
52	WS 80 ok. gr ramka ALU	800/360/288	115
53	W 60	600/360/288	66
54	W 60 SU (ociekačka alu)	600/720/288	77
55	W 60 SU P/L (ociekačka alu)	600/720/288	77
56	W 60 P/L	600/720/288	66
57	W 60/58 P/L	600/580/288	50
58	W 60/92	600/920/288	82
59	W 60 GRF/2	600/720/288	68
60	W 60 ok. gr	600/360/288	42
61	WS 60 GRF/2	600/720/288	79
62	WS 60 ok. gr ramka ALU	600/360/288	98
63	W 50 P/L	500/720/288	56
64	W 50/92 P/L	500/920/288	73
65	W 50 ok. gr	500/360/288	37
66	W 40 P/L	400/720/288	49
67	WS 40 P/L	400/720/288	54
68	W 45 P/L	450/720/288	50
69	W 40/92 P/L	400/920/288	61
70	W 40 W P/L	400/1283/288	90
71	W 40 W peľna P/L	400/1283/288	88
72	W 40 OKGR	400/360/288	32
73	W 30 P/L	300/720/288	41
74	W 30/58 P/L	300/580/288	33
75	W 30/92 P/L	300/920/288	51
76	WO 30/92	300/920/600	26
77	WO 20/92	200/920/288	27
78	WR P/L	600/720/600	72
79	WR/58 P/L	600/580/288	56
80	WR/92 P/L	600/920/600	92
81	WPO P/L	290/720/288	22
82	WPO/92 P/L	290/920/288	26
83	WO15°	OD 150 DO 400/720/446	25
84	DO15°	OD 150 DO 400/820/446	42
85	Zostava z obrázka (bez dosky)		710
86	Zostava 1,8/2,4m (bez dosky)	1,8/2,4m	518
87	Zostava 2,60m (bez dosky)	2,6m	661